

# lab Buyer

Spring Edition 2017

Supplies • Equipment • Instruments • Chemicals/Reagents

## Corning

Two Special Offers on Corning® Equipment and PYREX®, PYREX-PLUS®, or PYREX VISTA™ Reusable Glassware Products

*See page 11*

## Thermo Scientific

Receive two extra shelves with the purchase of a Heratherm™ benchtop microbiological incubator or heating and drying oven

*See page 12*

## Labconco

Free Filter Pack with purchase of a WaterPro® BT™ System

*See page 8*

## Thermo Scientific

Special Offer on Thermo Scientific™ Nunc™ Flasks, Dishes and Multidishes

*See page 23*

**Thomas  
Scientific**

**We Believe You Are Important**  
— How Can We Help?

[www.thomassci.com](http://www.thomassci.com)

phone 800.345.2100

**Look inside for  
more great deals!**



## WELCOME!

Thomas Scientific is a distributor of laboratory supplies, equipment and chemicals. The products in this catalog represent only a small offering from our extensive catalog and website. We're here to make your purchasing process as simple as possible. For additional models, sizes, packaging, and accessories not shown in our catalogs or if you just need help selecting a product, contact us at 800-345-2100 or visit us on the web at [www.thomassci.com](http://www.thomassci.com).



**Thomas Scientific accepts VISA, Master Card,  
American Express and the IMPAC card  
for government buyers.**

## OUR MISSION

To help science create a better world by providing quality products with personal, timely and efficient service  
*Delivering Quality Scientific Supplies Worldwide Since 1900*

**Special offers and pricing are valid through June 30, 2017,  
unless otherwise noted.**

**NOTE:** Offers in this catalog are void where prohibited by law or company policy. Shipping charges are not included. Prices and offers are subject to change without notice and are not to be combined with other offers/discounts or contract pricing. Valid in USA only. Dealer/reseller sales not applicable. For web orders, enter the promo code in the yellow box on the back of this catalog. For phone orders, please supply the promo code to the customer service representative when ordering. Discount pricing shown must be specified when placing order. Returned products will be subject to billing for Free Items at list price. Free items in 'Buy/Get 1 Free' offers will be the item of lowest value unless otherwise noted. Giveaways and free products may be shipped separately. Allow 4-6 weeks for delivery.

Suppliers featured in this issue are:



For additional deals from  
more suppliers, check out our  
Lab Basics brochure!  
Download your copy today at  
[www.thomassci.com/deals](http://www.thomassci.com/deals)

LAB BASICS

*Looking for additional offers?*

Check out our

**Promos, Samples  
& Literature**

section on the web

[www.thomassci.com/deals](http://www.thomassci.com/deals)



**NEW!**

**Biomedical Research Products**

- Biochemicals
- Assay Kits
- Antibodies
- Proteins

**Active Pharmaceutical Products**

- Prostaglandin APIs
- R&D Services
- Manufacturing
- Proteins

**Forensic Science Products**

- Analytical Standards
- Certified Reference Materials



Our mission is to help make research possible by supplying scientists worldwide with the basic research tools necessary for advancing human and animal health. Our utmost commitment to healthcare researchers is to offer the highest quality products with an affordable pricing policy.

# Up to 15% + Buy/Get Offers!

CORNING

Offers begin **February 6** and end **June 30, 2017**. Please use **Promo Code 0217** to receive special pricing.



## Lambda™ Plus Single-Channel Pipettors

Thomas No.	Mfr. List	Promo List
1223N47	<del>213.06</del>	<b>181.10</b>
1223N48	<del>213.06</del>	<b>181.10</b>
1223N49	<del>213.06</del>	<b>181.10</b>
1223N50	<del>213.06</del>	<b>181.10</b>
1223N51	<del>213.06</del>	<b>181.10</b>
1223N52	<del>213.06</del>	<b>181.10</b>

## Buy 2, Get 1 Free!

- Factory calibrated to strict ISO 8655 standards
- 3-year warranty
- Fully autoclavable and UV-resistant
- Designed for universal fit with all common brands of pipet tips
- Adjustable tip ejector



## LSE™ Mini Microcentrifuge

Thomas No.	Mfr. List	Promo List
1223N62	<del>259.35</del>	<b>233.40</b>

## Buy 1, Get a Vortex Mixer Free! (Thomas No. 1223N64)

- Compact, lightweight and easy-to-use
- Close the lid to start, press the lid release button to stop
- 8 x 1.5/2.0 mL rotor and 4-place strip tube rotors included
- Fixed speed of 6000 rpm generates 2000 x g


Visit **thomassci.com/cls** to download redemption forms for both of these great deals!

Offers subject to change without notice. Please allow 4-6 weeks for delivery of free products when applicable. Promotion begins February 6, 2017 and expires June 30, 2017. Form must be received by July 15, 2017. Please fax or email, along with Thomas Scientific Proof-of-Purchase, to: **Thomas Marketing: Fax 856.467.5167 Email Marketing@thomassci.com**




# PLAS LABS

## Glove Boxes

PLAS  LABS offers a variety of glove boxes for isolation and containment research

1223H81, Hypoxia Chamber



### CONTROLLED ATMOSPHERE

Anaerobic Chambers  
Hypoxia Chambers  
Nitrogen Dry Boxes  
Temperature & Humidity Controlled

1173C63, Powder Handling Isolator



### HEPA FILTERS ISOLATORS

Powder Handling Isolators  
Double HEPA Filtered Isolators  
Single HEPA Filtered Isolators  
Anti-Static Ionizers

1231L18, Compact Glove Box



### BASIC COMPACT GLOVE BOXES

Analytical Balance Chambers  
"Compact" Glove Boxes  
"Basic" Glove Boxes  
Custom Glove Boxes  
Petite Glove Boxes

Some of the most popular Agilent autosamplers use the world's best syringe.

Fits the Agilent 7670, 7671  
and 7672 autosampler family

Fits the Agilent 7673, 7683, 7693A  
and 6850 autosampler family

Hamilton syringes are handmade with an unmatched attention to detail. The manufacturing process and quality assurance procedures ensure that every syringe we sell will provide superior accuracy and precision.

Hamilton proudly offers syringes for your **Agilent HPLC** and **GC autosamplers**.

**HAMILTON**  
THE MEASURE OF EXCELLENCE™



**10%  
OFF**

## FORENSIC SAMPLING SUPPLIES

**INVESTIGATE  
TODAY!**

### THE PATENTED SNAP SEAL™ VIAL

#2695F01 2mL Clear Snap Seal™ Vial

### THE GLASTIC VIAL

#2686A85 100ul Glass Insert/Clear Plastic Vial, 11mm Crimp/Snap Ring™

### POLYPROPYLENE LIMITED VOLUME SNAP RING™ CRIMP TOP VIAL

#2686A97 100uL PP LV Vial, Crimp/Snap Ring

#1173F73 700ul PP LV Vial, 9mm Screw Thread

### SNAP TOP CAPS™, 11mm

#2686R67 Clear Snap Cap, PTFE/Rubber Lined

#2686R97 Clear Snap Cap, PTFE/Silicone Lined

### ALUMINUM SEALS, 11mm

#2679H13 Silver Seal, Clear PTFE/Red Rubber

### LIMITED VOLUME INSERT

#1190X63 250uL Glass Big Mouth Conical LV Insert,  
Pulled Point Interior with Bottom Spring

### R.A.M™ LARGE OPENING VIAL, 12x32mm, 9mm NECK FINISH

#2695A25 2mL Clear R.A.M™ Vial/Graduated Marking Spot, 9mm Thread

### 9mm SCREW THREAD CLOSURES

#1203H97 9mm R.A.M™ Royal Blue Cap, PTFE/Butyl Rubber

#2695C07 9mm R.A.M™ Royal Blue Cap, PTFE/Silicone

*Engineered and Manufactured in compliance with ISO 9001:2008 certified guidelines*

EXPANDING YOUR  
CAPABILITIES  
SINCE 1977

J.G. Finneran Associates, Inc.  
**FINNERAN** 40 Years

Offer ends 7/15/2017

**globe**  
SCIENTIFIC INC.

## Diamond High-Performance Pipettor Starter Packs EXTRAORDINARY VALUES!



over  
**45% OFF**


list price of items if  
purchased separately!



Every starter pack contains 4 high-performance Diamond Pipettors,  
**4 FULL boxes** of racked pipette tips and a pipettor stand!



When you can't be there **TraceableLIVE®** alerts you via your smartphone, tablet, or computer at any time...



Refrigerator/Freezer

Ultra-Low ULT Storage

Chemical Storerooms



Learn more at [www.thomassci.com](http://www.thomassci.com)

ALWAYS TRACEABLE®





**Advantech is a leading manufacturer of ASTM E11 sieve products which are used for dry particle separating in over forty different industries ranging from life sciences to pharmaceuticals, to seeds and grains, to mining.**

Advantech offers a wide range of U.S. Standard Test Sieves, Pans & Covers, Wash Sieves, Sieve Shakers and Sifters that are proudly made in the U.S.A. Customers rely on our superior quality products, stellar customer service and large inventory allowing for same day shipping. Sieves are supplied with a "Certificate of Conformance". We offer additional Sieve "Inspection" and "Calibration" Grades of Certification as well as Sieve Re-Certification which provides documentation of the sieves accuracy and traceability in your Quality Management System.

**In April, May & June, save 10% on Advantech 8" & 12" (ASTM E11) Test Sieves, Deep Wash Sieves, Sieve Pans & Covers**

Visit [thomassci.com/deals](http://thomassci.com/deals) for additional monthly specials from Advantech.

**ADVANTECH**  
Manufacturing, Inc.

Made in U.S.A.  
**ISO 9001**  
2015

# HyClone™ now available through Thomas Scientific!



**GE Healthcare**  
HyClone™ cell culture products

## A comprehensive range of cell culture products, including:

- Sera
- Media and supplements
- Buffers and water
- Antibiotics and selection agents
- Cell dissociation reagents
- Stem cell portfolio



# Ultrapure Lab Grade Water from Almost Any Sink

## WaterPro® BT™ System

- Compact
- Portable
- Type I, 18.2 MΩ Water
- Type III, RO Water
- Optional UV Lamp for TOC and bacteria reduction
- Optional Remote Dispense with stand



**Special offer:**  
**Free Filter Pack worth over \$650!**

*Filter Pack includes twin cartridges with pretreatment, reverse osmosis, activated carbon and deionization filtration.*

### Ordering Information

Thomas No.	Mfr. No.	Description	UV Lamp	Remote Dispense	List Price
1201X60	9015020	WaterPro BT System with 115 volt, 15 amp plug	—	—	\$4,785.76
1201X61	9015040	WaterPro BT System with North America, 230 volt plug	—	—	\$4,785.76
1201X62	9015220	WaterPro BT System with 115 volts, 15 amp plug	—	•	\$5,392.40
1201X63	9015240	WaterPro BT System with North America, 230 volt plug	—	•	\$5,392.40
1201X64	9015120	WaterPro BT System with 115 volt, 15 amp plug	•	—	\$5,428.69
1201X65	9015140	WaterPro BT System with North America, 230 volt plug	•	—	\$5,428.69
1201X66	9015320	WaterPro BT System with 115 volts, 15 amp plug	•	•	\$5,890.16
1201X67	9015340	WaterPro BT System with North America, 230 volt plug	•	•	\$5,890.16
1201X68	9019200	WaterPro BT Filter Pack (required for operation)	—	—	\$694.79



**Free Filter Pack with Purchase!**

Visit [thomassci.com/deals](http://thomassci.com/deals) for redemption.

Offer expires December 31, 2017





sartorius

## Sartorius QUINTIX® Standard Laboratory Balances

Reliable Weighing for Faster, More Accurate Results

### Sartorius Quintix® sets new benchmarks in every aspect for standard lab balances.

- Improve reliability and accuracy with isoCAL, the automatic internal calibration and adjustment function
- Increase efficiency with our revolutionary touchscreen user interface and easy-to-understand menu
- 11 integrated programs to accommodate various weighing applications
- Easy data transfer to PC saves time and minimizes errors
- Tamper-proof supervisor lock protects the system settings from unintentional changes




Design 1



Design 2



Design 3



Design 4

#### QUINTIX® Balances have Integrated Applications that include:

- Weighing
- Mixing
- Components
- Statistics
- Conversion
- Density
- Peak Hold
- Checkweighing
- Counting
- Percentage
- Unstable Conditions

Thomas No.	Model	Capacity	Readability	Repeatability (±)	Pan Size, Ø	Design
1189K97	Quintix65-1S	40 60 g	0.01 mg	0.03 0.04 mg	80 mm	1
1204C33	Quintix224-1S	220 g	0.1 mg	0.1 mg	90 mm	2
1204C35	Quintix313-1S	310 g	1 mg	1 mg	120 mm	3
1204C41	Quintix5102-1S	5,100 g	0.01 g	0.01 g	180 mm	4
1204C42	Quintix5101-1S	5,100 g	0.1 g	0.1 g	180 mm	4

Thomas No.	Model	List	Sale Price
1189K97	Quintix65-1S	\$5,387.21	\$4,040.41
1204C33	Quintix224-1S	\$4,237.70	\$3,178.28
1204C35	Quintix313-1S	\$2,366.95	\$1,775.21
1204C41	Quintix5102-1S	\$3,245.29	\$2,433.97
1204C42	Quintix5101-1S	\$1,870.74	\$1,403.06

**Special Pricing!**  
**Save 25% off list**

For more information about Quintix™ Laboratory balances, visit [www.thomassci.com](http://www.thomassci.com), Keyword: **Quintix**

Special Pricing valid April 1 – July 31, 2017.

# Corning® NutriStem® hPSC XF Medium

A superior xeno-free, serum-free culture medium for hES and hiPS cells

CORNING



- ▶ Complete, ready-to-use
- ▶ Superior proliferation of undifferentiated hES and hiPS cells
- ▶ Stable pluripotency and genotype over long-term culture
- ▶ Extensively tested and widely referenced

## Optimize Cell Growth and Expansion in a Xeno-free Environment

Corning NutriStem hPSC XF medium is a defined, medium designed to support the growth and expansion of human induced pluripotent stem (hiPS) and human embryonic stem (hES) cells in a feeder-free environment.



## Ordering Information

### Corning NutriStem hPSC XF Medium

Thomas No.	Description	Unit Size (mL)	Qty/Pk
<b>C840D26</b>	NutriStem hPSC XF medium, [+] HSA	500	1
<b>C840D25</b>	NutriStem hPSC XF medium, [+] HSA	100	1

CORNING

FALCON

AXYGEN

GOSSELIN

PYREX

For a listing of trademarks, visit [www.corning.com/clstrademarks](http://www.corning.com/clstrademarks).  
All other trademarks are the property of their respective owners.



## Two Special Offers on Corning® Equipment and PYREX®, PYREXPLUS®, or PYREX VISTA™ Reusable Glassware Products

CORNING



### OFFER 1: Buy \$500\* of Hot Plates or Stirrers (listed below):

Thomas No.	Description
1233W82	Corning PC-400D hot plate with digital display (5" x 7" top)
5983C27	Corning PC-200 analog hot plate (4" x 5" top)
5983C03	Corning Scholar™ PC-170 hot plate (5" x 5" top)
1233W83	Corning PC-410D stirrer with digital display (5" x 7" top)
8613H80	Corning PC-210 analog stirrer (4" x 5" top)
8613G30	Corning Scholar PC-171 magnetic stirrer (5" x 5" top)

### ... and Receive 2 Cases of Select PYREX Reusable Glassware FREE (choose any 2):

#### PYREX Beakers

Thomas No.	Description
1531H37	10 mL
1531H46	20 mL
1531H56	30 mL
1531H66	50 mL
1531H76	100 mL
1531H86	150 mL
1531J11	250 mL double scale
1531J21	400 mL double scale
1531H76	600 mL double scale
1531H86	1L double scale

#### PYREX Erlenmeyer Flasks

Thomas No.	Description
4303G17	25 mL
4303G23	50 mL
4303G29	125 mL
4303G41	250 mL
4303G53	500 mL
4303G65	1L

#### PYREX Pipets

Thomas No.	Description
7406E11	1 mL
7406E17	2 mL
7406E37	5 mL
7406E67	10 mL

### OFFER 2: Buy \$500\*\* worth of any PYREX, PYREXPLUS, or PYREX VISTA Reusable Glassware Products...

### ...and Receive Select Corning Equipment FREE (listed below):

#### Choose 1 of these:

Thomas No.	Description
1233W82	Corning PC-400D hot plate with digital display (5" x 7" top)
5983C27	Corning PC-200 analog hot plate (4" x 5" top)
1233W83	Corning PC-410D stirrer with digital display (5" x 7" top)
8613H80	Corning PC-210 analog stirrer (4" x 5" top)

#### Or both of these:

Thomas No.	Description
5983C03	Corning Scholar™ PC-170 hot plate (5" x 5" top)
8613G30	Corning Scholar PC-171 magnetic stirrer (5" x 5" top)

\*\* OFFER 2 products must be made on a single Purchase Order and excludes taxes and shipping costs.

### Both offers can be redeemed once per lab.

For more information and to download redemption form, visit [thomassci.com/CLS-offers](http://thomassci.com/CLS-offers)

CORNING

FALCON

AXYGEN

GOSSELIN

PYREX

For a listing of trademarks, visit [www.corning.com/clstrademarks](http://www.corning.com/clstrademarks).  
All other trademarks are the property of their respective owners.

thermo scientific

Receive two extra shelves with the purchase of a Heratherm benchtop microbiological incubator or a Heratherm heating and drying oven.

Thermo Scientific™ Heratherm™ Microbiological Incubators and Ovens feature:

- Three benchtop sizes (60L, 100L, or 180L).
- Three tiers to choose from, ranging from basic to advanced features.
- Easy to use microprocessor controllers.
- Corrosion-resistant stainless-steel chambers.
- Flexible shelving.



Heratherm Incubator Shelves Shown (Oven shelves are wire mesh)

Available through June 30, 2017

This promotion is open to customers in U.S. and Canada only. Valid for orders placed between January 1, 2017 and June 30, 2017. Cannot be combined with other discounts or promotion. Valid only in connection with the purchase of the part numbers listed above ("Qualifying Purchase"). For each Qualifying Purchase, customer will receive one block ("Promotional Product"). Thermo Fisher reserves the right to substitute Promotional Product for another of equal or greater value. Offer void where prohibited, licensed or restricted by federal, state, provincial, or local laws or regulation or agency/institutional policy. Other restrictions may apply. Customer acknowledges that this offer may include a discount or other price reduction that must be properly and accurately accounted for and reported by customer in accordance with all federal and state laws, including without limitation the federal anti-kickback law (42 C.F.R. § 1320a-7b(b)(3)(A)) and regulations there under (42 C.F.R. § 1001.952(h)).



Thermo Scientific Heratherm Microbiological Incubators and General Purpose Ovens

Receive two extra shelves (four total) at no additional cost when you use the following promotional part numbers when ordering your Heratherm incubator or oven, no redemption required.

Thomas No.	Cat No.	Description
------------	---------	-------------

#### Microbiological Indicators

1171Y79	51028063SF	Heratherm 60L GP Incubator Gravity Convection 120V with 2 additional free shelves
1171Y80	51028064SF	Heratherm 100L GP Incubator Gravity Convection 120V with 2 additional free shelves
1171Y81	51028065SF	Heratherm 180L GP Incubator Gravity Convection 120V with 2 additional free shelves
1171Y82	51028066SF	Heratherm 60L AP Incubator Dual Convection 120V with 2 additional free shelves
1171Y83	51028067SF	Heratherm 100L AP Incubator Dual Convection 120V with 2 additional free shelves
1171Y84	51028068SF	Heratherm 180L AP Incubator Dual Convection 120V with 2 additional free shelves
1171Y85	51028069SF	Heratherm 60L APS Incubator Dual Convection 120V with 2 additional free shelves
1171Y86	51028070SF	Heratherm 100L APS Incubator Dual Convection 120V with 2 additional free shelves
1171Y87	51028111SF	Heratherm 180L APS Incubator Dual Convection 120V with 2 additional free shelves

#### Heating and Drying Ovens

1171Y88	51028112SF	Heratherm 60L GP Oven Gravity Convection, 50-250C, 120V with 2 additional free shelves
1171Y89	51028872SF	Heratherm 100L GP Oven Gravity Convection, 50-250C, 120V with 2 additional free shelves
1171Y90	51028874SF	Heratherm 180L GP Oven Gravity Convection, 50-250C, 120V with 2 additional free shelves
1171Y91	51028121SF	Heratherm 60L GP Oven Mechanical Convection, 50-250C, 120V with 2 additional free shelves
1171Y92	51028873SF	Heratherm 100L GP Oven Mechanical Convection, 50-250C, 120V with 2 additional free shelves
1171Y93	51028875SF	Heratherm 180L AP Incubator Dual Convection 120V with 2 additional free shelves
1171Y94	51028115SF	Heratherm 60L APS Incubator Dual Convection 120V with 2 additional free shelves
1171Y95	51028116SF	Heratherm 100L APS Incubator Dual Convection 120V with 2 additional free shelves
1171Y96	51028117SF	Heratherm 180L APS Incubator Dual Convection 120V with 2 additional free shelves
1171Y97	51028124SF	Heratherm 60L GP Oven Gravity Convection, 50-250C, 120V with 2 additional free shelves
1171Y98	51028125SF	Heratherm 100L GP Oven Gravity Convection, 50-250C, 120V with 2 additional free shelves
1171Y99	51028126SF	Heratherm 180L GP Oven Gravity Convection, 50-250C, 120V with 2 additional free shelves
1171Z00	51028118SF	Heratherm 60L APS Oven Gravity Convection, 50-330C, 120V with 2 additional free shelves
1171Z01	51028119SF	Heratherm 100L APS Oven Gravity Convection, 50-330C, 208-240V 60Hz with 2 additional free shelves
1171Z02	51028120SF	Heratherm 180L APS Oven Gravity Convection, 50-330C, 208-240V 60Hz with 2 additional free shelves
1171Z03	51028127SF	Heratherm 60L APS Oven Mechanical Convection, 50-330C, 120V with 2 additional free shelves
1171Z04	51028128SF	Heratherm 100L APS Oven Mechanical Convection, 50-330C, 208-240V 60Hz with 2 additional free shelves
1171Z05	51028129SF	Heratherm 180L APS Oven Mechanical Convection, 50-330C, 208-240V 60Hz with 2 additional free shelves

© 2017 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. Specifications, terms and pricing are subject to change. Not all products are available in all countries. Please consult your local sales representative for details. PFICPHERATHERM 0117


**ThermoFisher**  
SCIENTIFIC



thermoscientific

# Trade up and save!

Upgrade to a new Thermo Scientific™ general purpose centrifuge and get free pick-up and disposal of your old 1-4 L general purpose centrifuge.



## Thermo Scientific general purpose centrifuge series

### Fits in.

- With compact designs – spin 4 liters in a traditional 3-liter footprint with the Thermo ScientificTX-1000 rotor
- Many applications, with a wide range of rotors and accessories

### Stands out.

- Designed for solid performance and consistent results
- Featuring innovative Thermo Scientific™ technologies, including Auto-Lock™ rotor exchange, ClickSeal biocontainment lids, and Fiberlife carbon fiber rotors

**Act now!** Contact your Thomas Scientific representative to trade up your general purpose centrifuge today.

## Limited time offer! Expires June 30, 2017.

Valid while supplies last for orders placed between January 1, 2017 and June 30, 2017 by residents of the United States, and only in connection with the trade in of general purpose centrifuges. Subject to manufacturer or dealer inspection of trade in. Customer must fulfill obligations in and complete N206 decontamination form prior to trade in, and follow instructions for packaging and staging for pickup. Manufacturer will contact customer to arrange pick up time for trade in within 10 days of receipt of completed form. Additional charges may apply if trade in is not available for pick up on pick up date. Savings based on Manufacturer's suggested list price. Subject to dealer participation. Actual savings may vary. All sales subject to manufacturer's standard terms and conditions of sale, available at [www.thermoscientific.com](http://www.thermoscientific.com). Manufacturer reserves the right to discontinue or modify this promotion at any time. Cannot be combined with other discounts or promotions. Offer void where prohibited, licensed or restricted by federal, state, provincial, or local laws or regulation or agency/institutional policy. Other restrictions may apply. Customer acknowledges that this offer may include a discount or other price reduction that must be properly and accurately accounted for and reported by customer in accordance with all federal and state laws, including without limitation the federal anti-kickback law (42 C.F.R. § 1320a-7b(3)(A)) and regulations thereunder (42 C.F.R. § 1001.952(h)).

Looking  
to trade up  
a floor model  
centrifuge?  
Ask us how.

Visit: [thomassci.com](http://thomassci.com) Search: **Thermo General Purpose Centrifuge**

**ThermoFisher**  
SCIENTIFIC

For Research Use Only. Not for use in diagnostic procedures. © 2017 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. PFCFGPTRADEINUS 0117

# IKA

designed for scientists

## The new distilling system: RV 8 V



Manual lift with integrated safety "lift-out-function".

Digital displays for rotation speed and heating bath temperature.

Key-button with locking function for the heating bath temperature.

- › water / oil heating bath with integrated ergonomic carrying handles
- › adjustable immersion angle
- › single-hand operation; ambidextrous design
- › speed range 5 – 300 rpm
- › additional user safety through reduced 24 V power requirements within the unit
- › compatible with the complete range of IKA RV 10 glassware
- › new clamp mechanism

Thomas No.	Mfr. No.	Description	Price
1171Y65	0010002180	RV8 V Rotary Evap w/ Vert Glswre, 115V	\$3,474.00



thermo scientific

Special  
Pricing!

Trade-in and save up to 20%\*\*!

Trade in your old benchtop meter and get special pricing on a new Thermo Scientific Orion benchtop meter!

Now's the time to enjoy the measure of confidence.

Thermo Scientific™ Orion™ meters are designed to offer an easier way to test. Simple interfaces with onscreen prompts allow for easy training and consistent testing.

**For versatility in the lab**

Thermo Scientific™ Orion™ Versa Star Pro™ meter has a four channel design, allowing you to mix-and-match measurement modules as needed.

**For everyday testing**

Thermo Scientific™ Orion Star™ A210 series meters offer dedicated single and dual parameter measurement capabilities.

**For a budget-friendly solution**

Thermo Scientific Orion Star A110 series meters offer an economical solution for single parameter measurement needs.

**For an all-in-one solution**

Thermo Scientific Orion meters are available in kit versions, providing you with the electrodes, buffers and solutions you need at a great value.

Whatever your testing needs, there's a Thermo Scientific Orion meter for you.

\*\* Actual savings may vary. Contact your local sales representative for more information.



We'll make sure your old meter is disposed using Responsible Recycling (R2) methods.\*


**Thomas  
Scientific**
**ThermoFisher  
SCIENTIFIC**

Offer valid through 6/30/17

© 2017 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. Specifications, terms and pricing are subject to change. Not all products are available in all countries. Please consult your local sales representative for details. P-MTRADEIN-E 0117 RevC

# 70 Years of Innovation

## A Balance for Every Need



Since 1945, METTLER TOLEDO has pioneered weighing solutions. We continue to revolutionize the industry to meet customer demands in the laboratory. With three distinct performance levels, backed by the largest network of service technicians, we ensure that all your balance needs are covered.

**Excellence** – Excellent performance and compliance with the highest safety, efficiency and QA requirements

**Standard** – Robust and reassuringly easy-to-use, thanks to built-in security features

**Entry** – All the essential functionalities and the solid performance you need in your busy laboratory

Find your customized solution today by visiting [www.thomassci.com/mt](http://www.thomassci.com/mt)

**METTLER TOLEDO**



# Dispensette® S

## Buy 3, Get 1 FREE!

Buy 3 Dispensette® S dispensers, get one of equal or lesser value for FREE!



Buy products  
between 1/1/17 and  
12/31/17.

For product information,  
visit [www.thomassci.com](http://www.thomassci.com),  
or call Customer Service  
at 800-345-2100.

**BRANDTECH®**  
SCIENTIFIC, INC.



Free Dispensette S  
Bottletop Dispenser!

Volume mL	Recirculation Valve	
	No	Yes
<b>Dispensette® S Digital</b>		
0.1-1	1183C55	1183C49
0.2-2	1183C56	1183C50
0.5-5	1183C57	1183C51
1-10	1183C58	1183C52
2.5-25	1183C59	1183C53
5-50	1183C60	1183C54
<b>Dispensette® S Analog</b>		
0.1-1	1183C68	1183C61
0.2-2	1183C69	1183C62
0.5-5	1183C70	1183C63
1-10	1183C71	1183C64
2.5-25	1183C72	1183C65
5-50	1183C73	1183C66
10-100	1183C74	1183C67
<b>Dispensette® S Fixed</b>		
1	1183C79	1183C75
2	1183C80	1183C76
5	1183C81	1183C77
10	1183C82	1183C78

Recirculation Valve	
No	Yes
<b>Organic Digital</b>	
—	—
—	—
1183C87	1183C83
1183C88	1183C84
1183C89	1183C85
1183C90	1183C86
<b>Organic Analog</b>	
—	—
—	—
—	1183C91
1183C97	1183C92
1183C98	1183C93
1183C99	1183C94
1183C00	1183C95
<b>Organic Fixed</b>	
—	—
—	—
1183D03	1183D01
1183D04	1183D02

## Buy 2 Get 1 Free!

Purchase 2 Bottles of Molecular Biology Grade Water  
Get the 3rd On Us!



**Thomas Cat. No. C858G38**  
**Molecular Biology Grade Water, Sterile**

Suitable for a wide range applications such as PCR, Electrophoresis,  
and DNA Sequencing, plus more!

Reduce risk of contamination, during enzymatic reactions and use  
RICCA High Purity Water for Molecular Biology!

For more information and to download redemption form,  
visit [thomassci.com/deals](http://thomassci.com/deals)



- DNase Free
- RNase Free
- Protease Free
- Endotoxin Free
- DEPC Free

**RICCA®**

# Save on Welch® Vacuum Pumps!



Dry Vacuum Pumps



Model 2019



DryFast 2014



DryFast 2034



DuoSeal 1400

**Free 5' Tubing  
with Select  
Pump Purchases  
(\$50 Value!)**

Purchase 7893N65, 7893N67  
or 1233K63 and receive  
Welch Item # 331030-5 Free!

## Dry Vacuum Pumps – for non-aggressive aqueous-based vapors

Welch WOB'L piston pumps provide high vacuum or pressure performance with enhanced control. A great replacement for finicky House vacuums or wasteful water aspirator vacuum. Not recommended for pumping acidic, basic or organic fumes.

## Model 2019 Vacuum Pump – Resistant to moderate organic and acid/base vapors

Affordable Model 2019 diaphragm vacuum pump is durable and chemical resistant. Use Model 2019 for vacuum filtration, desiccation, degassing, and other mid-range vacuum applications. Free air flow 37L/min; Maximum vacuum 24" Hg.

## DryFast Oil-Free PTFE Vacuum Pumps – Resistant to harsh chemical vapors

Tune-able Vacuum for Chemical Applications - filtrations and solvent evaporations - rotovaps, concentrators, & vacuum ovens. Choose from models ranging from 40 torr (filtration, low B.P. evaporations) to fast evaporations of high B.P. solvents like DMF at 2 torr.

## DuoSeal Belt-Drive Vacuum Pumps – Deep vacuum applications

Rugged oil-seal pumps for a wide variety of laboratory vacuum needs. Thomas No. 7893Q27 is a single stage pump, effective for vacuum distillation and manifold (Schlenk line) drying. Use the 2-stage Thomas No. 7893Q10 for large drying manifolds, degassing, and rotary evaporation of high-boiling solvents.

Thomas No.	Description	List Price	Sale Price
<b>Dry Vacuum Pumps</b>			
7893N65	Standard Duty Pump 2522, 1 Stage, 22 lpm, 115V/60Hz., 26" Hg	\$601.47	<b>\$550.15</b>
7893N67	Standard Duty Pump 2534, 1 Stage, 34 lpm, 115V/60Hz., 27.2" Hg	\$684.43	<b>\$626.03</b>
1233K63	Pres / Vac Piston Pump 2546, 115V/60Hz, 46 lpm, 27.6" Hg	\$757.01	<b>\$692.43</b>
<b>Model 2019 vacuum pump</b>			
1204C21	Vacuum filtration pump, Chemical resistant, 37 L/min, 24" Hg, 115V	\$850.34	<b>\$777.79</b>
<b>DryFast Oil-Free PTFE Vacuum Pumps</b>			
1208U34	DryFast 2014 oil-free dry diaphragm vacuum pump, PTFE, 40 torr, 35 L/min, 115V	\$1462.17	<b>\$1337.43</b>
1208U36	DryFast 2034 oil-free dry diaphragm vacuum pump, PTFE, 9 torr, 25 L/min, 115V	\$2053.26	<b>\$1878.09</b>
1208U44	DryFast 2032 oil-free dry diaphragm vacuum pump, PTFE, 2torr, 25 L/min, 115V	\$2924.34	<b>\$2674.85</b>
<b>DuoSeal Belt-Drive Oil Seal Vacuum Pumps</b>			
7893Q27	Duoseal Pump, 35L/min, 115V 60Hz, 1 Stage	\$1866.61	<b>\$1707.35</b>
7893Q10	Duoseal Pump, 25L/min, 115V 60Hz, 2 Stage	\$2146.59	<b>\$1963.46</b>

**Special pricing & Free tubing  
offer valid thru 12/31/17**

**Visit [www.thomassci.com/deals](http://www.thomassci.com/deals)  
to download redemption form.**

**WELCH**  
by Gardner Denver



# 50% OFF

**Immuno<sup>TM</sup><sub>4</sub>**

**No Promo Code Needed**

Offer valid March 1 – May 31, 2017.

## Lumi Super Tracker XL™ Membrane / Blotting Chemiluminescent Peroxidase Substrate

Developed specifically for HRP Blotting applications requiring extreme sensitivity. LUMI Super Tracker XL™ is the best chemiluminescent substrate on the market. Lumi Super Tracker XL™ has the highest sensitivity, with very low background, and is economical.

Thomas No.	Mfg. No.	Current List Price	Promo List Price
<b>C837U26</b>	LUMXL.05	\$98.00	<b>\$49.00</b>
<b>C837U27</b>	LUMXL.1	\$160.00	<b>\$80.00</b>
<b>C837U28</b>	LUMXL.2	\$285.00	<b>\$142.50</b>
<b>C837U29</b>	LUMXL.5	\$595.00	<b>\$297.50</b>
<b>C837U30</b>	LUMXL	\$950.00	<b>\$475.00</b>

## Lumi Supernova™ Membrane / Blotting Chemiluminescent Peroxidase Substrate

Developed specifically for HRP Blotting applications requiring high performance with economical affordability. LUMI Supernova™ is best in its class of chemiluminescent substrates.

Thomas No.	Mfg. No.	Current List Price	Promo List Price
<b>C837U32</b>	LUSNM.2	\$144.00	<b>\$72.00</b>
<b>C837U33</b>	LUSNM.5	\$220.00	<b>\$110.00</b>
<b>C837U34</b>	LUSNM	\$360.00	<b>\$180.00</b>

## Lumi Super Tracker™ Soluble / ELISA Chemiluminescent Peroxidase Substrate

Developed specifically for ELISA and In-Vitro Diagnostic applications requiring ultra sensitivity with exceptional signal to noise ratios, LUMI Super Tracker™ is one of the best chemiluminescent substrates on the market. Great sensitivity with very low background.

Thomas No.	Mfg. No.	Current List Price	Promo List Price
<b>C837U35</b>	LUSST.1	\$190.00	<b>\$95.00</b>
<b>C837U36</b>	LUSST.2	\$337.00	<b>\$168.50</b>
<b>C837U37</b>	LUSST.5	\$775.00	<b>\$387.50</b>
<b>C837U38</b>	LUSST	\$1,450.00	<b>\$725.00</b>

## Super Shield™ HRP Conjugate Stabilizer

Preserves and stabilizes the activity of HRP conjugates and proteins used in immunoassays and molecular assays. Maximizes the life of your HRP conjugates and proteins while eliminating non-specific protein interactions.

Thomas No.	Mfg. No.	Current List Price	Promo List Price
<b>C837U51</b>	HRPZR.1	\$105.00	<b>\$52.50</b>
<b>C837U52</b>	HRPZR	\$205.00	<b>\$102.50</b>

## Armor Plate™ Non Mammalian Protein Coat Block

Blocks and stabilizes coated ELISA plates and other solid phase substrates. APNMC™ is a superior diluent that blocks, seals, and stabilizes with a consistent coat.

Thomas No.	Mfg. No.	Current List Price	Promo List Price
<b>C837U54</b>	APNMC.2	\$105.00	<b>\$52.50</b>
<b>C837U55</b>	APNMC	\$205.00	<b>\$102.50</b>

# Sempermed®

## OUR GLOVES ARE DISPOSABLE

*The hands they protect are not.*



**Tender Touch**

NITRILE • POWDER FREE • TEXTURED  
S-XL 1186P97 - P99, 1186Q00 - Q01  
200/bx (180 XL) 10 bx/cs



**SEMPERFORCE**

NITRILE • POWDER FREE • TEXTURED  
S-XXL 1186P87 - P91  
100/bx (90 XXL) 10 bx/cs



**SemperSure**

NITRILE • POWDER FREE • TEXTURED  
XS-XL 1182Q97 - Q99, 1182R00 - R01  
200/bx (180 XL) 10 bx/cs

## qTOWER<sup>3</sup> Series

Quantitative Real Time PCR Thermal Cyclers

**analytikjena**  
An Endress+Hauser Company

Promo: Buy a qTOWER<sup>3</sup> - receive free equipment

qTOWER<sup>3</sup> Thermal Cyclers feature:

- Open platform for all common plasticware types (96 well plates, 8 or 12 well strips and individual tubes)
- Fast, efficient ramping rates: heating 8°C/sec; cooling 6°C/sec
- Optimized for volumes of 10 - 80 µl with detection of 96 samples in 6 sec, regardless of number of targets
- qTOWER<sup>3</sup> G includes gradient temperature range of up to 40°C across 12 columns/zones
- 10 year warranty on system optical components; 2 year warranty on remainder of system

**Free laptop** loaded with qPCRsoft software for control and analysis


**Free color module 1** for SYBR Green/FAM/Alexa488 dyes

**Free starter kit** with 96 well microplates and sealing films

Part #	Description	Price
1182K98	qTOWER <sup>3</sup> with free items	\$ 22,254.02
1182K99	qTOWER <sup>3</sup> G with free items	\$ 23,425.83

qTOWER 115V models listed. 10-year warranty provided on optical detection components. Additional color, FRET and protein modules available for loading up to 6 modules simultaneously. Go to [ThomasSci.com](http://ThomasSci.com) for additional specifications. Free items included with purchase. Offer valid in North America February 1, 2017 through June 30, 2017.

Free equipment  
valued at over  
\$3,000!



**NEW**

## Now Available

## Through Thomas!

Restek is a leading developer and manufacturer of chromatography products. We provide analysts around the world with the innovative tools they need to monitor the quality of air, water, soil, foods, pharmaceuticals, chemical, and petroleum products. We supply columns, standards, and accessories, manufactured under ISO 9001 certification and backed by the best service in the industry. From sample collection to preparation, from injection through separation to detection, build your liquid or gas chromatography solution with products and expertise from Restek.

Visit [www.thomassci.com](http://www.thomassci.com), Keyword: **Restek** for portfolio.

**RESTEK**<sup>®</sup>





## Ovens and Incubators Classic & Avantgarde.line

**BINDER**  
Best conditions for your success

### Ovens and Incubators

#### *The right unit for laboratory testing and research*

- ▶ Uniformity specification you can trust  
27 point DIN standard - more than the 9 point ASTM std.  
Eliminates "sweet spot" locations
- ▶ Advanced Preheating Technology (APT.Line™)  
Optimal temperature uniformity  
Faster recovery time
- ▶ Independent over temperature safety device with visual alarm
- ▶ Wide feature set available  
Gravity convection or forced convection  
Sizes from 0.7 to 25.4 cubic feet
- ▶ cUL listed
- ▶ Extensive Options available



Avantgarde  
Air Jacket



Avantgarde  
Air Flow



BINDER FD 260  
9 cubic ft.



BINDER FED 720  
25.4 cubic ft.



BINDER KT 170  
5.8 cubic ft.



BINDER KB 720  
24.6 cubic ft.

Ovens

Voltage	Size cu. ft.	ED gravity convection	FD forced convection	FED forced convection enhanced timer	FP forced convection program functions
120	2	1184M74	1181L31		1219A97
120	4	1184M75	1181M72	1184M71	1219A98
208 & 240	9 FP 8.5	1180Q88	1181L34	1180Q84	1219A99
208 3 phase	14.1	0222A08		0222A26	1219B00
208 3 phase	25.4	0222A10		0222A28	1219A95

Incubators

Voltage	Size cu. ft.	BD forced convection	BF forced convection	KT refrigerated with thermoelectric technology	KB refrigerated with compressor technology
120	0.7	6110R05			1219A55
120	2	1180Q95	1180Q89	1177T77	1193R88
120	BD, BF, KB 4 KT 3.6	1184M73	1180Q91	1177T79	1193R84
230	BD, BF 9 KB 8.7 KT 5.8	1180Q98	1180Q93	1180Q78	1193R82
120	14.1	0222A53	1219A50		1219A59
BF 120 KB 200-240	25.4	0222A55	1219A51		1219A63

European voltage available for all models.

# Boekel Scientific™ Orbital/Reciprocal Shaking Water Bath

Switch from orbital to reciprocating mode by simply reversing the tray.

This Shaking Water Bath with Orbital and Reciprocating shaking is designed for a wide range of temperature-controlled shaking protocols. It features a high quality, robust design with a unique magnetically coupled shaking mechanism for maximum reliability, consistency and quiet operation.

- Switch from orbital to reciprocating mode by simply reversing the tray
- 3 Point factory programmed temperature calibration throughout temperature range
- PID Controller for easy temperature selection, rapid heat up and excellent stability + 0.1°C
- Programmable timer up to 99 hrs, 59 min – Bath stops heating when timed operation is completed
- Adjustable speed control from 20-200 RPM (in 1 RPM increments)
- Convenient drain port with quick disconnect allows for easy cleaning of the bath



Purchase an Orbital/Reciprocal Shaking Water Bath (Thomas # 1229U55), and Receive a FREE Universal Flask Tray (Thomas # 1229U57)

\*Free tray promotion valid on Thomas No. 1229U55 only.



Thomas No.	Description
1229U55	Water Bath Orbital / Reciprocal Shaking 115V

# Boekel Scientific™ Heat / Cool Thermal Mixer II

Mixing and Temperature Control for small samples



## Specifications

Item	Description
Speed	250 - 3000 RPM; in increments of 50 RPMs
Temperature Range	15° C below ambient to 100° C
Timer	0 to 99 Hours : 59 Minutes : 59 Seconds / Hold
Operating Temperature	10° C to 30° C
Dimensions	W: 7" D: 11" H: 7.5"
Electrical Requirements	12 VDC via 115/230V AC Adapter - UL, CE, CSA approved

## Ordering Information

Item	Part Number	Thomas Number
Heat / Cool Thermal Mixer II	270800	1196R35
Heat Only Thermal Mixer II	270900	1187J93
Block, 24 x 0.5ml Tubes	270810	1196R36
Block, 24 x 1.5ml Tubes	270811	1196R37
Block, 24 x 2.0ml Tubes	270812	1196R38
Block, 8 x 5.0ml Tubes	270813	1196R39
Block, 24 x 12mm Tubes	270814	1196R40
Block, 24 x Cryo Tubes	270815	1196R41
Block, 8 x 15ml Conical Tubes	270816	1196R42
Block, 4 x 50ml Conical Tubes	270817	1196R43
Block, Standard/Deep Microplate	270818	1196R44
Block, 96 Well PCR Plate	270819	1196R45
Block, 384 Well PCR Plate	270820	1196R46

## Intuitive Menu Navigation




- » **View and access all parameters from the home screen**
  - The home display indicates the step number and program name
  - The unit operating status is indicated by bright red text
  - The "Stop, Play, Pause, Skip and Quick Mix" icons are easy to use



- » **Instantly change the parameters for a step**
  - Turn off or on parameters as needed during the process
  - The minimum and maximum parameters are automatically determined by the block type



- » **View and modify all steps on the program screen**
  - Automatically repeat a sequence as many times as needed
  - Easily turn off steps that are not needed



- » **Easily select, launch, change, and save programs**
  - Programs can have long text names for easy process recall
  - Turn on the parameter lock to protect important processes
  - Stores up to 25 programs

» Large Color Touch Screen

» Intuitive Navigation

» Interchangeable Blocks

» Auto-recognition of Blocks

» Two-year Warranty



Each unit is supplied with a Thomas # 1196R37 block.



# LabVacuum

## \$500 in FREE product

Buy a VACUUBRAND® pump or system\* and get \$500\*\* (list price) in BrandTech® products FREE!

Buy products between 1/1/17 and 12/31/17.

For product information, visit [www.thomassci.com](http://www.thomassci.com), or call Customer Service at 800-345-2100.



Buy a VACUUBRAND® vacuum pump or system...  
choose from over 50 models to optimize your application!

Then select \$500\*\* (list price) in BrandTech products FREE!

\*ME1, ME1C, and BVC models excluded. \*\*\$250 with purchase of MZ1C, #724103.

For information and to download redemption form,  
visit [thomassci.com/deals](http://thomassci.com/deals)




Product appearance, catalog numbers, prices, specifications, and technical information are subject to change without notice. Offer only valid to customers in the United States of America. Not valid for resellers. Void where prohibited by law or company policy. This offer may not be combined with any other offer. Limits may apply.

thermo scientific

## Special offers on Thermo Scientific™ Nunc™ and Nalgene™ cryogenic vials for a limited time!

Buy 3 cases and get a 4th case of the same product at no additional cost. Limit 5 offers per lab. Offers valid through June 30, 2017.



Nalgene Cryogenic Storage Tubes



Thomas No.	Description	No. / Case
<b>Nunc Cryogenic Storage Tubes</b>		
5151M88	1.8 mL Cryotube, Round, Internal Thread, Starfoot	50/1800
5151M92	3.6 mL Cryotube, Round, Internal Thread, Starfoot	100/1600
5151M70	4.5 mL Cryotube, Round, Internal Thread	50/1200
5151N06	1.8 mL Cryotube, Round, External Thread, Starfoot	50/1800
5151M82	1.0 mL Cryotube, Internal Thread, Starfoot	50/2000
5151N11	4.5 mL Cryotube, Round, External Thread, Starfoot	100/1200
<b>Nalgene Cryogenic Storage Tubes</b>		
5150C22	2.0 mL Cryogenic Vial	25/500
5150C29	5.0 mL Cryogenic Vial	10/250
5150C12	1.2 mL Cryogenic Vial	25/500

Get more information and redeem now at  
[thermofisher.com/cellculturepromos](http://thermofisher.com/cellculturepromos)

© 2017 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. THOMASCLB 0117

**ThermoFisher**  
SCIENTIFIC

thermo scientific

## Special offer on Thermo Scientific™ Nunc™ Flasks, Dishes and Multidishes!

Buy any 2 cases of qualified Nunc cell culture-treated products and get 1 case of your choice at no additional cost.

Limit 5 offers per lab. Offers valid through June 30, 2017.

Achieve consistent and reproducible cell growth

### Nunc Delta

Unique to our Thermo Scientific Nunc cell culture plastic is our **Nunc Delta surface** to promote maximum adhesion for a broad range of cell types.

The Nunc Delta surface is a fully synthetic energy-treated surface that makes the otherwise very hydrophobic polystyrene surface more hydrophilic, thus facilitating cell attachment and growth. The Nunc Delta certificate ensures high quality standards and lot-to-lot consistency.

Get more information and redeem now at [thermofisher.com/cellculturepromos](http://thermofisher.com/cellculturepromos)



© 2017 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. THOMASCLB 0317

Purchase 2 cases of the following Nuncion flasks, dishes & multidishes		
Cat.No.	Description	Pk/Cs
<b>Thermo Scientific Nunc EasyFlasks</b>		
4619L84	EasyFlask, Nuncion Delta-treated, Filter cap, 25 cm <sup>2</sup> , 7 mL working volume	10/200
4619L86	EasyFlask, Nuncion Delta-treated, Filter cap, 75 cm <sup>2</sup> , 25 mL working volume	5/100
9381Y70	EasyFlask, Nuncion Delta-treated, Filter cap, 175 cm <sup>2</sup> , 55 mL working volume	5/30
9381Y76	EasyFlask, Nuncion Delta-treated, Filter cap, 225 cm <sup>2</sup> , 70 mL working volume	5/30
9381Y73	EasyFlask, Nuncion Delta-treated, Vent/close cap, 25 cm <sup>2</sup> , 7 mL working vol.	10/200
9381Y74	EasyFlask, Nuncion Delta-treated, Vent/close cap, 75 cm <sup>2</sup> , 25 mL working vol.	5/100
9381Y72	EasyFlask, Nuncion Delta-treated, Vent/close cap, 175 cm <sup>2</sup> , 55 mL working vol.	5/30
9381Y75	EasyFlask, Nuncion Delta-treated, Vent/close cap, 225 cm <sup>2</sup> , 70 mL working vol.	5/30
<b>Thermo Scientific Nunc Dishes and Multidishes</b>		
9380U40	35 mm Dish, Nuncion Delta-treated, 8.8 cm <sup>2</sup> , with lid; with airvent	10/500
9380U45	60 mm Dish, Nuncion Delta-treated, 21.5 cm <sup>2</sup> , with lid; with airvent	10/400
9380U55	150x20mm Dish, Nuncion Delta-treated, 145 cm <sup>2</sup> , with lid; with airvent	10/80
1187Q20	100x15 mm Dish, Nuncion Delta-treated, 56.7 cm <sup>2</sup> , with lid; with airvent	150
9380U60	150x15 mm Dish, Nuncion Delta-treated, 145 cm <sup>2</sup> , with lid; airvent	10/120
6900A10	6-well Multidish, Nuncion Delta-treated, 9.6 cm <sup>2</sup> , round well; with lid	1/75
6900A12	6-well Multidish, Nuncion Delta-treated, 9.6 cm <sup>2</sup> , round well; with lid	5/85
6900A13	12-well Multidish, Nuncion Delta-treated, 3.5 cm <sup>2</sup> , round well; with lid; sterile	1/75
6900A14	24-well Multidish, Nuncion Delta-treated, 1.8 cm <sup>2</sup> , round well; with lid; sterile	1/75
1231H03	24-well Multidish, Nuncion Delta-treated, 1.8 cm <sup>2</sup> , round well; with lid; sterile	5/85

Thermo Scientific Nunc Dishes and Multidishes, continued		
6900A19	48-well Multidish, Nuncion Delta-treated, 1.1 cm <sup>2</sup> , round well; with lid; sterile	1/75
1231H04	48-well Multidish, Nuncion Delta-treated, 1.1 cm <sup>2</sup> , round well; with lid; sterile	5/85
1190Y66	100 mm Dish, Nuncion Delta-treated, 56.7 cm <sup>2</sup> , with lid; with airvent	10/240
1187Q20	100 mm Dish, Nuncion Delta-treated, 56.7 cm <sup>2</sup> , with lid; with airvent	150/150
9380U55	150 mm Dish, Nuncion Delta-treated, 145 cm <sup>2</sup> , with lid; with airvent	10/80
9380U60	150 mm Dish, Nuncion Delta-treated, 150 cm <sup>2</sup> , with lid; with airvent	10/120
9380W85	245 mm Dish, Nuncion Delta-treated, 500 cm <sup>2</sup> , with lid; without airvent	4/16
6900A07	4-well Multidish, Nuncion Delta-treated, 1.9 cm <sup>2</sup> , round well; with lid	4/120
1228D27	4-well Multidish, Nuncion Delta-treated, 21.8 cm <sup>2</sup> , round well; with lid	10/100
6900A10	6-well Multidish, Nuncion Delta-treated, 9.6 cm <sup>2</sup> , round well; with lid	1/75
6900A12	6-well Multidish, Nuncion Delta-treated, 9.6 cm <sup>2</sup> , round well; with lid	5/85
1228D28	8-well Multidish, Nuncion Delta-treated, 10.5 cm <sup>2</sup> , rectangular well; with lid; sterile	10/100
6900A13	12-well Multidish, Nuncion Delta-treated, 3.5 cm <sup>2</sup> , round well; with lid; sterile	1/75
6900A14	24-well Multidish, Nuncion Delta-treated, 1.8 cm <sup>2</sup> , round well; with lid; sterile	1/75
1231H03	24-well Multidish, Nuncion Delta-treated, 1.8 cm <sup>2</sup> , round well; with lid; sterile	5/85
6900A19	48-well Multidish, Nuncion Delta-treated, 1.1 cm <sup>2</sup> , round well; with lid; sterile	1/75
1231H04	48-well Multidish, Nuncion Delta-treated, 1.1 cm <sup>2</sup> , round well; with lid; sterile	5/85



**ThermoFisher**  
SCIENTIFIC



## Are you taking advantage of all that Thomas Scientific has to offer?

Thomas Scientific offers our customers many ways to save. In addition to our competitive pricing, customers can take advantage of special offers through **LabBUYER**, **Lab BASICS**, **Safety Spotlight**, **Equipment and Instrumentation Source Guide**, and more.

The **Equipment and Instrumentation Source Guide** is full of deals and solutions for your laboratory needs. Get the latest information on new products as well as helpful tips to save you time and money.

The **LabBasics** winter publication is full of your everyday lab essentials at great prices.

The **Brewery and Wine Brochure** is focused around top quality products for this growing industry.

The **Safety Spotlight** is focused around our Safety partners and the many offerings of Safety products available to you. Here you will find new products, as well as some items that anyone who cares about Safety should have in their work environment. Discounts and great deals on Safety products await you.

The **Thomas Scientific Forensics Catalog**, along with the current Supplement, is packed with products focussed on the Forensics industry.

Ask your local Thomas Sales Representative for copies of these and other publications we have available. Many publications can also be downloaded on our website, in our Deal Central section. Visit the Promotions & Literature tab on ThomasSci.com today to see the latest publications and promotions.

Interested in seeing weekly specials and new product announcements? Check out our email blasts that feature unique product specials, many of which are exclusive to Thomas Scientific. To receive our email blasts on a regular basis, please register on our website!

**So ask yourself ... Am I taking advantage of all that Thomas Scientific has to offer?**



**We Believe You Are Important**  
— How Can We Help?

800.345.2100 • 800.345.5232 fax  
PO Box 99 • Swedesboro, NJ 08085  
thomassci.com • value@thomassci.com

