

Your Favorites are Back in Stock

A shopping list for available high-demand products

We are doing all we can to get as much product as possible out the door and into customers' hands, including investing heavily in new capacity and running our manufacturing operations 24/7 in several plants. With that in mind, we suggest planning ahead and considering stocking up on the high-demand products necessary to keep your research running smoothly.

Below is a list of products that are waiting for you in our warehouses.



Ordering Information

Axygen Microcentrifuge Tubes with Screw Cap

Thomas No.	Mfr. No.	Description	Qty/Pk	Qty/Cs
22A00G476	SCT-45-SS-C-S	0.6 mL Microcentrifuge tubes, clear, self standing, attached screw cap with O-ring, Polypropylene (PP), sterile	500	4,000
1223Y53	ST-200-SS	2.0 mL Microcentrifuge tubes, clear, self-standing, screw cap, PP	500	4,000
1223X91	SCT-15ML-R-S	15 mL Centrifuge tubes, conical bottom, screw cap, racked, PP, sterile	50	500

Stripette® Serological Pipets in Bulk Bags

Thomas No.	Mfr. No.	Description	Qty/Pk	Qty/Cs
7543R08	4010	1 mL, polystyrene, sterile	50	1,000
7543R09	4020	2 mL, polystyrene, sterile	50	1,000

Microvolume Racked Pipet Tips

Thomas No.	Mfr No.	Description	Qty/Pk	Qty/Cs
7735R12	4894	Corning 0.1-10 µL microvolume racked pipet tips, natural, graduated, sterile (fits Gilson and other ultra-micropipettors)	96	960
7735T72	4808	Corning 0.5-10 µL IsoTip universal fit racked pipet tips, natural, filtered, sterile (fits Eppendorf pipettors or other popular ultra-micropipettors)	96	960
1223Z12	T-300-R-S	Axygen® 10 µL microvolume racked pipet tips, clear, non-filtered, sterile	960	4,800

Axygen 96-well Automation Pipet Tips

Thomas No.	Mfr No.	Description	Compatible with	Qty/Pk	Qty/Cs
1223S53	FX-20-R	20 µL tip, clear, non-filtered, ANSI/SLAS compatible rack	Beckman Coulter ¹	960	4,800
1223S54	FX-20-R-S	20 µL tip, clear, non-filtered, sterile, ANSI/SLAS compatible rack	Beckman Coulter ¹	960	4,800
1223S78	FXF-20-R-S	20 µL tip, clear, filtered, sterile, ANSI/SLAS compatible rack	Beckman Coulter ¹	960	4,800
1208N84	HTF-50-CBK-HTR-S	50 µL liquid level sensing tip, black, filtered, sterile	Hamilton ²	96	2,304
1149X11	HT-300-CBK-HTR-5	300 µL liquid level sensing tip, black, non-filtered	Hamilton ²	480	5,760
1208N85	HT-300-CBK-HTR-S	300 µL liquid level sensing tip, black, non-filtered, sterile	Hamilton ²	96	2,304
1149X12	HT-300-CBK-HTR-S-5	300 µL liquid level sensing tip, black, non-filtered, sterile	Hamilton ²	480	5,760
1208N86	HTF-300-CBK-HTR-S	300 µL liquid level sensing tip, black, filtered, sterile	Hamilton ²	96	2,304
1223W52	RRP-200-C-R	200 µL tip, clear, non-filtered, ANSI/SLAS compatible rack	PerkinElmer ³	960	4,800
1223W53	RRP-200-C-R-S	200 µL tip, clear, non-filtered, sterile, ANSI/SLAS compatible rack	PerkinElmer ³	960	4,800
20A00K680	VTF-205-R-S	200 µL tip, clear, filtered, sterile	Agilent ⁴	960	4,800
1222A47	VT-250-R	250 µL tip, clear, non-filtered, ANSI/SLAS compatible rack	Agilent ⁴	960	4,800
1223S42	EVF-100-R-S	100 µL tip, clear, filtered, sterile, ANSI/SLAS compatible rack	BioTek ⁵ , Dynamic Devices ⁶ , PerkinElmer ⁷ , Tecan ⁸	960	4,800
1141T15	EVF-205-WB-R-S	180 µL tip, clear, filtered, sterile, wide bore, ANSI/SLAS compatible rack	BioTek ⁵ , Dynamic Devices ⁶ , PerkinElmer ⁷ , Tecan ⁸	960	4,800
1223S37	EV-200-R	200 µL tip, clear, non-filtered, ANSI/SLAS compatible rack	BioTek ⁵ , Dynamic Devices ⁶ , PerkinElmer ⁷ , Tecan ⁸	960	4,800

Axygen 96-well Automation Pipet Tips (continued)

Thomas No.	Mfr. No.	Description	Compatible with	Qty/Pk	Qty/Cs
1223S38	EV-200-R-S	200 µL tip, clear, non-filtered, sterile, ANSI/SLAS compatible rack	BioTek ⁵ , Dynamic Devices ⁶ , PerkinElmer ⁷ , Tecan ⁸	960	4,800
22A00G477	OTF-180-R-PB	180 µL tip, clear, filtered, SBS rack	Dynamic Devices ⁶	96	4,800
1222A85	ZTF-100-R-S	100 µL tip, clear, filtered, sterile, non-ANSI/SLAS compatible rack	PerkinElmer ⁷ , Tecan ⁸	960	4,800
1223Z99	TT-1000-CBK-HTR-24	1,000 µL liquid level sensing tip, black, non-filtered, hanging tip rack (economy pack)	PerkinElmer ³ , Aurora Biomed ⁹ , Tecan ¹⁰	4,608	4,608
1222A00	TT-1000-CBK-HTR-S	1,000 µL liquid level sensing tip, black, non-filtered, hanging tip rack (economy pack)	PerkinElmer ³ , Aurora Biomed ⁹ , Tecan ¹⁰	1,536	1,536
1222A00	TT-1000-C-HTR	1,000 µL tip, clear, non-filtered, black, hanging tip rack	PerkinElmer ³ , Aurora Biomed ⁹ , Tecan ¹⁰	1,536	1,536
1222A19	TTF-1000-CBK-HTR-S	1,000 µL liquid level sensing tip, black, filtered, sterile, hanging tip rack	PerkinElmer ³ , Aurora Biomed ⁹ , Tecan ¹⁰	1,536	1,536
1222A20	TTF-1000-C-HTR-S	1,000 µL tip, clear, filtered, sterile, hanging tip rack	PerkinElmer ³ , Aurora Biomed ⁹ , Tecan ¹⁰	1,536	1,536
1222A15	TT-50-CBK-HTR-S	50 µL liquid level sensing tip, black, non-filtered, sterile, hanging tip rack	Aurora Biomed ⁹ , Tecan ¹⁰ , Corbett ¹¹	2,304	2,304
22A00G478	TTF-200-CBK-HTR-S	175 µL liquid level sensing tip, black, filtered, sterile, hanging tip rack	Aurora Biomed ⁹ , Tecan ¹⁰ , Corbett ¹¹	2,304	2,304
1222A22	TTF-200-C-HTR-S	175 µL tip, clear, filtered, sterile, hanging tip rack	Aurora Biomed ⁹ , Tecan ¹⁰ , Corbett ¹¹	2,304	2,304
1222A03	TT-200-CBK-HTR	200 µL liquid level sensing tip, black, non-filtered, hanging tip rack	Aurora Biomed ⁹ , Tecan ¹⁰ , Corbett ¹¹	2,304	2,304

¹Beckman Coulter | Biomek® FX, Biomek NX, Multimek™, Biomek 3000, Biomek 4000

²Hamilton | Microlab® Prep™, STAR™ Line, NIMBUS®, and VANTAGE®

³PerkinElmer | MultiPROBE, Janus®

⁴Agilent/VelocityEngine | VPrep®, Bravo

⁵BioTek | Precision™, Precision XS

⁶Dynamic Devices | Oasis LM

⁷PerkinElmer | Zymark® RapidPlate®, Sciclone®, Zephyr®

⁸Tecan | Freedom EVO®, Te-MO™, Aquarius™

⁹Aurora Biomed | VERSA™

¹⁰Tecan | Genesis Freedom®, Freedom EVO®, Miniprep with

LiHa ¹¹Corbett | CAS, X-tractor Gene

Axygen Single Well Reagent Reservoirs

Thomas No.	Mfr. No.	Description	Qty/Pk	Qty/Cs
1223W27	RES-SW96-LP	96-bottom troughs, low profile	25	25
22A00G479	RES-SW96-HP-M*	96-bottom troughs, high profile	25	25
1223W26	RES-SW96-HP-SI	96-bottom troughs, high profile, sterile	1	25
22A00G480	RES-SW96-HP-SI-M*	96-bottom troughs, high profile, individually wrapped, sterile	1	25
1223W18	RES-SW384-FX	384-bottom troughs, medium profile	25	25
22A00G481	RES-SW384-FX-SI*	384-bottom troughs, medium profile, individually wrapped, sterile	1	25

*Limited quantities available. Please contact your local Corning Account Manager for more information.

Axygen Multiple Well Reagent Reservoirs

Thomas No.	Mfr. No.	Description	Qty/Pk	Qty/Cs
1223W12	RES-MW8-LP	8-channel trough, low profile	25	25
1223W10	RES-MW8-HP	8-channel trough, high profile	25	25
1223W07	RES-MW12-LP	12-channel trough, low profile	25	25
1223W05	RES-MW12-HP	12-channel trough, high profile	25	25
1223W08	RES-MW12-LP-SI	12-channel trough, low profile, individually wrapped, sterile	1	25

Axygen® Disposable Reagent V-bottom Reservoirs

Thomas No.	Mfr. No.	Description	Qty/Pk	Qty/Cs
1223W33	RES-V-25-S	25 mL, sterile	5	200
1223W03	RES-2CV-25-SI	25 mL, individually wrapped, sterile	1	100
1223W36	RES-V-50-S	50 mL, sterile	5	200

Sample Containers

Thomas No.	Mfr. No.	Description	Qty/Pk	Qty/Cs
6186L05	430179	Corning® 250 mL container with lid	1	100
6186M10	354013	Falcon® 110 mL sample container, with lid, individually wrapped, sterile	1	100
1183C24	TP35C-002	Corning Gosselin™ 60 mL straight container, PP, red screw cap, assembled, sterile	70	700
---	TP35C-013	Corning Gosselin 60 mL straight container, PP, white screw cap, assembled	70	700
1183C25	TP52C-002	Corning Gosselin 125 mL straight container, PP, red screw cap, assembled, sterile	380	380

Corning Cryogenic Vials, Polypropylene

Cat. No.	Cat. No.	Description	Qty/Pk	Qty/Cs
5151K06	430489	2 mL internal threaded, round bottom	50	500
5151K43	430661	2 mL external threaded, round bottom	50	500
1232E26	431386	2 mL internal threaded, self-standing with round bottom	50	250
5151K19	430491	4 mL internal threaded, self-standing with round bottom	50	500
5151K39	430663	5 mL external threaded, self-standing with round bottom	50	500

Petri Dishes

Cat. No.	Cat. No.	Description	Qty/Pk	Qty/Cs
3488N25	351029	Falcon® bacteriological Petri dish, 100 x 15 mm, non TC-treated, sterile	20	500
3488N30	351058	Falcon bacteriological Petri dish, 150 x 15 mm, non TC-treated, sterile	10	100
1183C27	BP93B-101	Corning Gosselin™ Petri dish, 100 x 15 mm, 3 vents, aseptic, double outer bag	33	825
1183C29	SB93-101	Corning Gosselin Petri dish, 100 x 15 mm, 3 vents, aseptic	33	825

Falcon Tissue Culture-treated Dishes

Cat. No.	Cat. No.	Description	Qty/Pk	Qty/Cs
9380C30	353002	60 mm cell culture dish, TC-treated, sterile	20	500
9380E10	353037	60 mm center well organ culture dish, TC-treated, sterile	20	500

Products may not be available in all markets.

The compatibility of Axygen® tip products with other products has been independently determined by Corning; however, there should be no implication of sponsorship or endorsement by these companies of Axygen tip products.

Warranty/Disclaimer: Unless otherwise specified, all products are for research use or general laboratory use only.* Not intended for use in diagnostic or therapeutic procedures. Not for use in humans. These products are not intended to mitigate the presence of microorganisms on surfaces or in the environment, where such organisms can be deleterious to humans or the environment. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications. *For a listing of US medical devices, regulatory classifications or specific information on claims, visit www.corning.com/resources.

Corning's products are not specifically designed and tested for diagnostic testing. Many Corning products, though not specific for diagnostic testing, can be used in the workflow and preparation of the test at the customers discretion. Customers may use these products to support their claims. We cannot make any claims or statements that our products are approved for diagnostic testing either directly or indirectly. The customer is responsible for any testing, validation, and/or regulatory submissions that may be required to support the safety and efficacy of their intended application.

CORNING

For additional product or technical information, visit www.corning.com/lifesciences or call 800.492.1110. Outside the United States, call +1.978.442.2200.

For a listing of trademarks, visit www.corning.com/clstrademarks. All other trademarks are the property of their respective owners. © 2022 Corning Incorporated. All rights reserved. 8/22 CLS-DIV-023



ThomasSci.com
833.544.SHIP (7447)
CustomerService@thomassci.com

Connect With Us:

